



09,816,155

COFC
EPL

UNITED STATES PATENT AND TRADEMARK OFFICE

In re patent of : **Attn: Certificate of**
Seiji MIZUOKA et al. : **Correction Branch**
Patent No. 6,872,949 : **Atty Docket 2001_0348A**
Issued March 29, 2005 : **Confirmation No. 9174**

CONNECTION INSPECTING
APPARATUS, CONNECTION
INSPECTING METHOD, AND
RECORDING MEDIUM FOR RECORDING
PROGRAMS EXECUTING THE METHOD :

THE COMMISSIONER IS AUTHORIZED
TO CHARGE ANY DEFICIENCY IN THE
FEES FOR THIS PAPER TO DEPOSIT
ACCOUNT NO. 23-0975

REQUEST FOR CERTIFICATE OF CORRECTION UNDER 37 CFR 1.322

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

In accordance with the provisions of 37 CFR 1.322, it is respectfully requested that a
Certificate of Correction issue to correct the following:

IN THE CLAIMS

In column 29, line 21, please replace "(A+ α)" with "--(A+ β)--".

REMARKS

Please note that the above item should have been included in the original publication of the patent. However, the error occurred during the publication process in the PTO. Accordingly, a Certificate of Correction should issue at no expense to patentee. A form PTO-1050 accompanies this request.

Respectfully submitted,

Seiji MIZUOKA et al.

By David M. Ovedovitz
David M. Ovedovitz
Registration No. 45,336
Attorney for Patentees

DMO/jmj
Washington, D.C.
Telephone (202) 721-8200
Facsimile (202) 721-8250
April 28, 2005

To: The Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

PATENT NO : 6,872,949
DATED : March 29, 2005
INVENTOR(S) : Seiji MIZUOKA et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

IN THE CLAIMS

In column 29, line 21, please replace " $(A+\alpha)$ " with $--(A+\beta)--$.